

INDEX TO VOLUME 52

AUTHORS INDEX

A

- ABILDSKOV, J. A., BARNES, T. G., AND HISEY, B. L. Studies of normal and ectopic atrial excitation, 496
- ACTIS-DATO, A., ANGELINO, P. F., AND BRUSCA, A. An angiopulmographic study of the lesser circulation in mitral stenosis, 1
- ALIMURUNG, MARIANO M., AND CHIACO, MANUEL CHUA. Aberrant ventricular conduction simulating paroxysmal ventricular tachycardia during quinine therapy, 462
- AMRAM, SALOMAO S. (See Donoso, Pordy, Yuceoglu, Minor, Chesky, and Amram), 352
- ANGELINO, P. F. (See Actis-Dato, Angelino, and Brusca), 1
- ARAVANIS, C. (See Haring, Aravanis, Liu, Gamna, Trace, and Luisada), 18
- ARSENIJEVIĆ, M., GINZBERG, E., AND NAJDANOVIĆ, B. Sepsis lenta localized in an arteriovenous aneurysm, 307
- AZEVEDO, A. DE CARVALHO, TOLEDO, A. NEY, DE CARVALHO, A. ALVES, AND ROUBACH, ROBINSON. Transposition of the aorta and levoposition of the pulmonary artery, 249

B

- BALCHUM, OSCAR J., MCCORD, MALCOLM C., AND BLOUNT, S. GILBERT, JR. The clinical and hemodynamic patterns in nonspecific myocarditis: a comparison with other entities also impairing myocardial efficiency, 430
- BARNES, T. G. (See Abildskov, Barnes, and Hisey), 496
- BAUM, RICHARD N. (See Gunther, Baum, Elek, John, and Levy), 290
- BEATTY, DAVID C. (See Yu, Beatty, Lovejoy, Nye, and Joos), 683
- BERKUN, MORDECAI, A., KESSELMAN, RUSSELL H., DONOSO, EPHRAIM, AND GRISHMAN, ARTHUR. The spatial atrial gradient, 858

- BIDOGGIA, H. J., FUNES, J. CORDERO, LABOURT, F. E., AND PIETRAFESA, E. R. Method for the determination of potency and work of the right ventricle in pulmonary stenosis with intact ventricular septum: right ventricular strain index. I, 811
- (See Funes, Labourt, Pietrafesa, and Bidoggia), 819
- (See Pietrafesa, Labourt, Funes, and Bidoggia), 828
- BING, R. J. (See Pedersen, Siegel, and Bing), 695
- BIÖRCK, GUNNAR. Hematin compounds in mammalian heart and skeletal muscle, 624
- BLOUNT, S. GILBERT, JR. (See Balchum, McCord, and Blount), 430
- BLUMENFELD, S. (See Scherf, Blumenfeld, Reid, and Weisz), 674
- BLUMENFELD, SERGE. (See Schaffer, Blumenfeld, Bussan, and Scherf), 704
- BOTTERELL, E. H. (See Bunton, Scott, Loughheed, and Botterell), 419
- BOUGAS, JAMES, MUSSER, BENJAMIN G., AND GOLDBERG, HARRY. Left heart catheterization, 359
- (See Musser, Bougas, and Goldberg), 567
- BRUMMER, PEKKA, LINKO, EINO, AND KASANEN, ANTERO. Myocardial infarction treated by early ambulation, 269
- BRUSCA, A. (See Actis-Dato, Angelino, and Brusca), 1
- BURCH, G. E. Selected quantitative applications of digital rheoplethysmography, 388
- BURDETTE, WALTER J. Adenosine nucleotide levels in cardiac arrest, 193
- BURGER, H. C., NOORDERGRAAF, A., KORSTEN, J. J. M., AND ULLERSMA, P. Physical basis of ballistocardiography. IV, 653
- BUSSAN, ROBERT. (See Schaffer, Blumenfeld, Bussan, and Scherf), 704

C

- CALLAHAN, JOHN A., HELMHOLZ, H. FREDERIC, JR., AND KIRKLIN, JOHN W. Pulmonary arteriovenous fistula located by indicator dilution studies, 916
- CARMICHAEL, DAVID B. (*See* Walker, Mattingly, Pollock, Carmichael, Inmon, and Forrester), 547
- DE CARVALHO, A. ALVES. (*See* Azevedo, Toledo, de Carvalho, and Roubach), 249
- CHENG, TSUNG O. Atrial flutter during quinidine therapy of atrial fibrillation, 273
- CHESKY, KENNETH. (*See* Donoso, Pordy, Yuceoglu, Minor, Chesky, and Amram), 352
- CHIACO, MANUEL CHUA. (*See* Alimurung and Chiacco), 462
- COLES, JOHN E., AND WALKER, WELDON J. Coarctation of the pulmonary artery, 469
- CONKLIN, WILLIAM H. Esophageal ulcer eroding into the left ventricle with fatal hemorrhage, 922
- CONTRO, STEPHEN, AND MOND, ERNEST. The electrocardiogram in hypersensitivity reaction, 510

D

- DAMMANN, J., FRANCIS, JR., AND FERENCZ, CHARLOTTE. The significance of the pulmonary vascular bed in congenital heart disease, 7, 210
- DEL GIACCO, RUDOLPH R. (*See* Harris and Del Giacco), 300
- DIAZ-RIVERA, RURICO S. (*See* Garcia-Palmieri, Marchand, Diaz-Rivera, Santiago-Stevenson, and Rodriguez), 521
- DONOSO, EPHRAIM, PORDY, LEON, YUCEOGLU, YUSUF Z., MINOR, JAMES B., CHESKY, KENNETH, AND AMRAM, SALOMAO S. The ballistocardiogram in congenital heart disease, 352
- (See Berkun, Kesselman, Donoso, and Grishman), 858

E

- ELEK, STEPHEN R. (*See* Gunther, Baum, Elek, John, and Levy), 290
- ENTWISLE, GEORGE. (*See* Hollander and Entwisle), 799
- ESTES, E. HARVEY. (*See* McIntosh, Estes, and Warren), 70

F

- FABRICIUS, JØRGEN. (*See* Olesen and Fabricius), 791
- FERENCZ, CHARLOTTE. (*See* Dammann and Ferencz), 7, 210

- FISHMAN, ALFRED P., AND RICHARDS, DICKINSON W. The management of cor pulmonale in chronic pulmonary disease, with particular reference to the associated disturbances in the pulmonary circulation, 149
- FORRESTER, RALPH H. (*See* Walker, Mattingly, Pollock, Carmichael, Inmon, and Forrester), 547
- FREUNDLICH, J. The diagnostic significance of tall upright T waves in the chest leads, 749
- FUCHS, MORTON. (*See* Nichols, Likoff, Goldberg, and Fuchs), 379
- FUNES, J. CORDERO, LABOURT, F. E., PIETRAFESA, E. R., AND BIDOGGIA, H. J. Tables for calculating the potency and work of the right ventricle and the right ventricular strain index in pulmonary stenosis with intact ventricular septum. II, 819
- (*See* Bidoggia, Funes, Labourt, and Pietrafesa), 811
- (*See* Pietrafesa, Labourt, Funes, and Bidoggia), 828

G

- GAMNA, G. (*See* Haring, Aravanis, Liu, Gamma, Trace, and Luisada), 18
- GARCIA-PALMIERI, MARIO R., MARCHAND, ERNESTO J., DIAZ-RIVERA, RURICO S., SANTIAGO-STEVENSON, DWIGHT, AND RODRIGUEZ, HECTOR F. The significance of giant negative T waves in coronary artery disease, 521
- GIEL, CHARLES P. (*See* Kleinfeld and Giel), 899
- GILLIAM, L. (*See* Sinykin, Sansum, and Gilliam), 619
- GINZBERG, E. (*See* Arsenijević, Ginzberg, and Najdanović), 307
- GOLDBERG, HARRY. (*See* Bougas, Musser, and Goldberg), 359
- (*See* Musser, Bougas, and Goldberg), 567
- (*See* Nichols, Likoff, Goldberg, and Fuchs), 379
- GRANT, ROBERT P. A precordial systolic murmur of extracardiac origin during pregnancy, 944
- GRISHMAN, ARTHUR. (*See* Berkun, Kesselman, Donoso, and Grishman), 858
- (*See* Wachtel, Ravitch, and Grishman), 121
- VON DER GROEBEN, J. Spatial representation of cardiac vectors with the aid of tabulated functions, 562
- GROOM, DALE. The effect of background noise on cardiac auscultation, 781
- GUNTHER, LEWIS, BAUM, RICHARD N., ELEK, STEPHEN R., JOHN, DONALD, AND LEVY, IRA. A clinical evaluation of acetyl-digitoxin, 290

GUNTON, R. W., SCOTT, J. W., LOUGHEED, W. M., AND BOTTERELL, E. H. Changes in cardiac rhythm and in the form of the electrocardiogram resulting from induced hypothermia in man, 419

GURAIEB, SIMIRA R., AND RIGDON, R. H. Fibroelastosis in adults, 138

H

HARING, O. M., ARAVANIS, C., LIU, C. K., GAMNA, G., TRACE, H. D., AND LUISADA, A. A. The mitral patient before and after surgery, 18

HARRIS, RAYMOND, AND DEL GIACCO, RUDOLPH R. Gitalin therapy of congestive heart failure in the aged, 300

HARRIS, T. N., AND NEEDLEMAN, HERBERT L. Study by cathode-ray oscillography of some innocent and pathologic cardiac murmurs of children, 887

HATTORI, MITSUO. (See Toyoshima, Mizuno, Hattori, and Saruhashi), 711

HEIMAN, D. F. (See Rodbard, Kariv, and Heiman), 182

HEJTMANCIK, M. R. (See Wright, Hejtmancik, Herrmann, and Shields), 369

HELM, ROBERT A. The effect of boundary contour on the distribution of dipole potential in a volume conductor, 768

—. The lead vectors of multiple dipoles located on a transverse plane of Frank's homogeneous torso model, 323

HELMHOLZ, H. FREDERIC, JR. (See Callahan, Helmholtz, and Kirklin), 916

HERRMANN, GEORGE R. (See Wright, Hejtmancik, Herrmann, and Shields), 369

HISEY, B. L. (See Abildskov, Barnes, and Hisey), 496

HYMAN, ALBERT L., JAKUES, WILLIAM E., AND HYMAN, EDWARD S. Observation on the direct effect of Digoxin on renal excretion of sodium and water, 592

HYMAN, EDWARD S. (See Hyman, Jaques, and Hyman), 592

HOFFMAN, IRWIN, AND SCHACK, JEROME A. The T wave in bundle branch system block: the significance of the angle formed by the terminal portion of QRS and the mean T vector, 862

HOLLANDER, WILLIAM, AND ENTWISLE, GEORGE. Transient ventricular tachycardia following the Valsalva maneuver in a patient with paroxysmal atrial tachycardia, 799

—. (See Judson and Hollander), 198

HONIG, C. R., AND TENNEY, S. M. The "aperiodic" ballistocardiogram as a function of age, 343

— AND —. The relationship between the ballistocardiogram, cardiac movement, and blood flow, 167

I

INMON, THOMAS W., AND POLLOCK, BYRON E. Coarctation of the abdominal aorta, 314

—. (See Walker, Mattingly, Pollock, Carmichael, Inmon, and Forrester), 547

J

JAKUES, WILLIAM E. (See Hyman, Jaques, and Hyman), 592

JOHN, DONALD. (See Gunther, Baum, Elek, John, and Levy), 290

JOOS, HOWARD A. (See Yu, Beatty, Lovejoy, Nye, and Joos), 683

JUDSON, WALTER E., AND HOLLANDER, WILLIAM. The effects of insulin-induced hypoglycemia in patients with angina pectoris, 198

K

KAPLAN, JORGE. (See Sarajas, Senning, and Kaplan), 836

KARIV, I. (See Rodbard, Kariv, and Heiman), 182

KARLEN, WILLIAM. (See Young, Wolff, and Karlen), 232

KARLEN, WILLIAM S., WOLFF, LOUIS, AND YOUNG, ELIOT. The vectorcardiogram in anterior myocardial infarction. III, 45

KARNI, H. The TsE loop in myocardial lesions, 867

KEISMAN, ROBERT A. (See Seiden and Keisman), 62

KESSELMAN, RUSSELL H. (See Berkun, Kesselman, Donoso, and Grishman), 858

KEYS, ANCEL. (See Simonson and Keys), 83

KIRKLIN, JOHN W. (See Callahan, Helmholtz, and Kirklin), 916

KLEINFELD, MORRIS, AND GIEL, CHARLES P. Calcification of the pericardium caused by a hitherto unrecognized etiological factor, 899

KNOBLICH, ROMAN, AND RAWSON, ARNOLD J. Arteriovenous fistula of the heart, 474

KORSTEN, J. J. M. (See Burger, Noordergraaf, Korsten, and Ullersma), 653

L

LABOURT, F. E. (See Bidoggia, Funes, Labourt, and Pietrafesa), 811

—. (See Funes, Labourt, Pietrafesa, and Bidoggia), 819

—. (See Pietrafesa, Labourt, Funes, and Bidoggia), 828

- LANGNER, PAUL H., JR., AND MOORE, SAMUEL R. Location of the electrical center of ventricular repolarization, 335
- LEE, KYU TAIK, AND THOMAS, WILBUR A. Relationship of body weight to acute myocardial infarction, 581
- LEVINE, HAROLD D. (See Margolin, Levine, and Merrill), 257
- LEVY, IRA. (See Gunther, Baum, Elek, John, and Levy), 290
- LIKOFF, WILLIAM. (See Nichols, Likoff, Goldberg, and Fuchs), 379
- LIU, C. K. (See Haring, Aravanis, Liu, Gamna, Trace, and Luisada), 18
- LOUGHEED, W. M. (See Gunton, Scott, Lougheed, and Botterell), 419
- LOVEJOY, FRANK W., JR. (See Yu, Beatty, Lovejoy, Nye, and Joos), 683
- LUISADA, A. A. (See Haring, Aravanis, Liu, Gamma, Trace, and Luisada), 18
- M
- MCCORD, MALCOLM C. (See Balchum, McCord, and Blount), 430
- MCINTOSH, HENRY D., ESTES, E. HARVEY, AND WARREN, JAMES V. The mechanism of cough syncope, 70
- MCNERNEY, JULES J. Histoplasmin sensitivity associated with pericardial calcification, 609
- MARCHAND, ERNESTO J. (See Garcia-Palmieri, Marchand, Diaz-Rivera, Santiago-Stevenson, and Rodriguez), 521
- MARGOLIN, E. GORDON, LEVINE, HAROLD D., AND MERRILL, JOHN P. Cardiac arrhythmias associated with protoveratrine, 257
- MATTINGLY, THOMAS W. (See Walker, Mattingly, Pollock, Carmichael, Inmon, and Forrester), 547
- MEARS, EDWARD J. The association of Adams-Stokes attacks and Cheyne-Stokes respiration, 935
- MENCZEL, J. (See Ullmann and Menczel), 106
- MERRILL, JOHN P. (See Margolin, Levine, and Merrill), 257
- MINOR, JAMES B. (See Donoso, Pordy, Yuceoglu, Minor, Chesky, and Amram), 352
- MIZUNO, YASUSHI. (See Toyoshima, Mizuno, Hattori, and Saruhashi), 711
- MOND, ERNEST. (See Contro and Mond), 510
- MOORE, SAMUEL R. (See Langner and Moore), 335
- MORRIS, THOMAS L., AND WHITAKER, WILLIAM. The ventricular patterns in the right precordial leads in mitral stenosis, 738
- MUSSER, BENJAMIN G., BOUGAS, JAMES, AND GOLDBERG, HARRY. Left heart catheterization, 567
- (See Bougas, Musser, and Goldberg) 359
- N
- NAJDANOVIĆ, B. (See Arsenijević, Ginzberg, and Najdanović), 307
- NEEDLEMAN, HERBERT L. (See Harris and Needleman), 887
- NICHOLS, HENRY T., LIKOFF, WILLIAM, GOLDBERG, HARRY, AND FUCHS, MORTON. The genesis of the "presystolic" murmur in mitral stenosis, 379
- NOORDERGRAAF, A. (See Burger, Noordergraaf, Korsten, and Ullersma), 653
- NUESSELE, WILLIAM F. The importance of a tight blood pressure cuff, 905
- NYE, ROBERT E., JR. (See Yu, Beatty, Lovejoy, Nye, and Joos), 683
- O
- OLESEN, KNUD HENNING, AND FABRICIUS, JØRGEN. Pulmonic valvular regurgitation during twenty-seven years after gonorrheal endocarditis, 791
- P
- PAES, OTAVIO DE OLIVEIRA. Congenital cyanotic heart disease in one of monozygotic twins, 929
- PAULIN, CLAUDE, AND RUBIN, IRA L. Complete heart block with perforated interventricular septum following contusion of the chest, 940
- PEDERSEN, A., SIEGEL, A., AND BING, R. J. Cardiac metabolism in experimental ventricular fibrillation, 695
- PIETRAFESA, E. R., LABOURT, F. E., FUNES, J. CORDERO, AND BIDOGGIA, H. J. Right ventricular strain index in pulmonary stenosis with intact ventricular septum: its value in clinical work. III, 828
- (See Bidoggia, Funes, Labourt, and Pietrafesa), 811
- (See Funes, Labourt, Pietrafesa, and Bidoggia), 819
- POLLOCK, BYRON E. (See Inmon and Pollock), 314
- (See Walker, Mattingly, Pollock, Carmichael, Inmon, and Forrester), 547
- PORDY, LEON. (See Donoso, Pordy, Yuceoglu, Minor, Chesky, and Amram), 352
- PRUITT, RAYMOND D., AND ROBINSON, JOHN G. The electrocardiographic findings in patients undergoing surgical exploration of the mitral valve, 880

R

- RAPPAPORT, MAURICE B. Displacement, velocity, and acceleration ballistocardiograms as registered with an undamped bed of ultralow natural frequency. I, 483
- . Displacement, velocity, and acceleration ballistocardiograms as registered with an undamped bed of ultralow natural frequency. II, 643
- . Displacement, velocity, and acceleration ballistocardiograms as registered with an undamped bed of ultralow natural frequency. III, 847
- RAVITCH, MARK M. (See Wachtel, Ravitch, and Grishman), 121
- RAWSON, ARNOLD J. (See Knoblich and Rawson), 474
- REID, E. (See Scherf, Blumenfeld, Reid, and Weisz), 674
- RICHARDS, DICKINSON W. (See Fishman and Richards), 149
- RIGDON, R. H. (See Guraieb and Rigdon), 138
- ROBINSON, JOHN G. (See Pruitt and Robinson), 880
- RODBARD, SIMON, KARIV, I., AND HEIMAN, D. F. The diagnostic significance of the respiratory fluctuations of the pulmonary arterial pressure in man, 182
- RODRIGUEZ, HECTOR F. (See Garcia-Palmieri, Marchand, Diaz-Rivera, Santiago-Stevenson, and Rodriguez), 521
- ROUBACH, ROBINSON. (See Azevedo, Toledo, de Carvalho, and Roubach), 249
- RUBIN, IRA L. (See Paulin and Rubin), 940

S

- SANGHVI, L. M. Chloroquine, 908
- . Prolongation of P-R interval, and auricular fibrillation and flutter after poliomyelitis, 612
- SANSUM, L. (See Sinykin, Sansum, and Gilliam), 619
- SANTIAGO-STEVENSON, DWIGHT. (See Garcia-Palmieri, Marchand, Diaz-Rivera, Santiago-Stevenson, and Rodriguez), 521
- SARAJAS, H. S. SAMULI, SENNING, ÅKE, AND KAPLAN, JORGE. Heart damage in dogs subjected to hypothermia, circulatory arrest, and cardiac surgery, 836
- SARUHASHI, YOSHIKO. (See Toyoshima, Mizuno, Hattori, and Saruhashi), 711
- SCHACK, A. (See Hoffman and Schack), 862
- SCHAFER, ABRAHAM I., BLUMENFELD, SERGE, BUSSAN, ROBERT, AND SCHERF, DAVID. A new look at electrocardiographic leads, 704

- SCHERF, D., BLUMENFELD, S., REID, E., AND WEISZ, A. Auricular escape during vagus stimulation after crushing sinus node tissue, 674
- SCHERF, DAVID. (See Schaffer, Blumenfeld, Bussan, and Scherf), 704
- SCOTT, J. W. (See Gunton, Scott, Loughheed, and Botterell), 419
- SEIDEN, GEORGE E., AND KEISMAN, ROBERT A. Cancellation of the abnormal QRS complex of heart disease, 62
- SENNING, ÅKE. (See Sarajas, Senning, and Kaplan), 836
- SHIELDS, ALLEN H. (See Wright, Hejtmancik, Herrmann, and Shields), 369
- SIEGEL, A. (See Pedersen, Siegel, and Bing), 695
- SIMONSON, ERNST, AND KEYS, ANCEL. The electrocardiographic exercise test: changes in the scalar ECG and in the mean spatial QRS and T vectors in two types of exercise; effect of absolute and relative body weight and comment on normal standards, 83
- SINYKIN, G., SANSUM, L., AND GILLIAM, L. Ventricular fibrillation precipitated by mineral imbalance and hypoxia, 619
- STURTEVANT, F. N. Studies on vascular reactivity in normotensive and meta-corticoid hypertensive rats, 410

T

- TENNEY, S. M. (See Honig and Tenney), 167, 343
- THOMAS, LEWIS. Possible new mechanisms of tissue damage in the experimental cardiovascular effects of endotoxin, 807
- THOMAS, WILBUR A. (See Lee and Thomas), 581
- THORSON, ÅKE H. Hemodynamic changes during "flush" in carcinoidosis, 444
- TOLEDO, A. NEY. (See Azevedo, Toledo, de Carvalho, and Roubach), 249
- TOYOSHIMA, HIDEO, MIZUNO, YASUSHI, HATTORI, MITSUO, AND SARUHASHI, YOSHIKO. A study of electrocardiographic and spatial vectorcardiographic changes in bundle branch block by means of the reconstruction method, 711
- TRACE, H. D. (See Haring, Aravanis, Liu, Gamna, Trace, and Luisada), 18

U

- ULLERSMA, P. (See Burger, Noordergraaf Korsten, and Ullersma), 653

- ULLMANN, T. D., AND MENCZEL, J. The effect of a ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and electrolytes in hypertension and in congestive heart failure, 106

W

- WACHTEL, FRED W., RAVITCH, MARK M., AND GRISHMAN, ARTHUR. The relation of pectus excavatum to heart disease, 121
- WALKER, WELDON J., MATTINGLY, THOMAS W., POLLOCK, BYRON E., CARMICHAEL, DAVID B., INMON, THOMAS W., AND FORRESTER, RALPH H. Electrocardiographic and hemodynamic correlation in atrial septal defect, 547
- . (See Coles and Walker), 469
- WARREN, JAMES V. (See McIntosh, Estes, and Warren), 70
- WEISZ, A. (See Scherf, Blumenfeld, Reid, and Weisz), 674
- WHITAKER, WILLIAM. (See Morris and Whitaker), 738
- WOLFF, LOUIS. (See Karlen, Wolff, and Young), 45

- . (See Young, Wolff, and Karlen), 232

- WRIGHT, JAMES C., HEJTMANCIK, M. R., HERRMANN, GEORGE R., AND SHIELDS, ALLEN H. A clinical study of complete heart block, 369

Y

- YOUNG, ELIOT. (See Karlen, Wolff, and Young), 45

- , WOLFF, LOUIS, AND KARLEN, WILLIAM. The vectorcardiogram in inferior myocardial infarction. IV, 232

- YU, PAUL N., BEATTY, DAVID C., LOVEJOY, FRANK W., JR., NYE, ROBERT E., JR., AND JOOS, HOWARD A. Studies of pulmonary hypertension, 683

- YUCEOGLU, YUSUF Z. (See Donoso, Pordy, Yuceoglu, Minor, Chesky, and Amram), 352

Z

- ZIEGLER, ROBERT F. The importance of positive T waves in the right precordial electrocardiogram during the first year of life, 533

SUBJECT INDEX

A

- Abdominal aorta, coarctation of (Inmon and Pollock), 314
- Acceleration, displacement, velocity, and, ballistocardiograms as registered with undamped bed of ultralow natural frequency. I (Rappaport), 483
II (Rappaport), 643
III (Rappaport), 847
- Acetyl-digitoxin, clinical evaluation of (Gunter et al.), 290
- Adams-Stokes attacks and Cheyne-Stokes respiration, association of (Mears), 935
- Adenosine nucleotide levels in cardiac arrest (Burdette), 193
- Adults, fibroelastosis in (Guraieb and Rigdon), 138
- Age, "aperiodic" ballistocardiogram as function of (Honig and Tenney), 343
- Aged, gitalin therapy of congestive heart failure in (Harris and Del Giacco), 300
- Ambulation, early, myocardial infarction treated by (Brummer et al.), 269
- Aneurysm, arteriovenous, sepsis lenta localized in (Arsenijević et al.), 307
- Angina pectoris, effects of insulin-induced hypoglycemia in patients with (Judson and Hollander), 198
- Angiocardiographic interpretation in congenital heart disease, 804 (B. Rev.)
- Angiopulmographic study of lesser circulation in mitral stenosis (Actis-Dato et al.), 1
- Angle formed by terminal portion of QRS and mean T vector, significance of; T wave in bundle branch system block (Hoffman and Schack), 862
- Announcements, 160, 321, 481, 642, 806, 946
- Aorta, abdominal, coarctation of (Inmon and Pollock), 314
transposition of and levoposition of pulmonary artery (Azevedo et al.), 249
- Aortic, mitral and, valvular disease, with particular reference to (II); left heart catheterization (Musser et al.), 567
- "Aperiodic" ballistocardiogram as function of age (Honig and Tenney), 343
- Arrhythmias, cardiac, associated with protoveratrine (Margolin et al.), 257
- Arterial pressure, pulmonary, in man, diagnostic significance of respiratory fluctuations of (Rodbard et al.), 182
- Arteriovenous aneurysm, sepsis lenta localized in (Arsenijević et al.), 307
fistula of heart (Knoblich and Rawson), 474
pulmonary, located by indicator dilution studies (Callahan et al.), 916
- Artery, coronary, disease, significance of giant negative T waves in (Garcia-Palmier et al.), 521
pulmonary, coarctation of (Coles and Walker), 469
transposition of aorta and levoposition of (Azevedo et al.), 249
- Atrial excitation, normal and ectopic, studies of (Abildskov et al.), 496
flutter during quinidine therapy of atrial fibrillation (Cheng), 273
gradient, spatial (Berkun et al.), 858
paroxysmal, tachycardia, transient ventricular tachycardia following Valsalva maneuver in patient with (Hollander and Entwistle) 799
septal defect, electrocardiographic and hemodynamic correlation in (Walker et al.), 547
- Auricular escape during vagus stimulation after crushing sinus node tissue (Scherf et al.), 674
fibrillation and flutter, prolongation of P-R interval, and, after poliomyelitis (Sanghvi), 612
clinical and electrocardiographic observations after intravenous administration in two cases of: chloroquine (Sanghvi), 908
- Auscultation, cardiac, effect of background noise on (Groom), 781

B

- Bacterial endocarditis, subacute, 641 (B. Rev.)
- Ballistocardiogram, animal, normal (Honig and Tenney), 168
"aperiodic," as function of age (Honig and Tenney), 343
cardiac movement, and blood flow, relationship between (Honig and Tenney), 167
in congenital heart disease (Donoso et al.), 352
- Ballistocardiograms, displacement, velocity, and acceleration, as registered with undamped bed of ultralow natural frequency. I (Rappaport), 483
II (Rappaport), 643
III (Rappaport), 847
- Ballistocardiography, physical basis of. IV (Burger et al.), 653
- Block, bundle branch, study of electrocardiographic and spatial vectorcardiographic changes in, by means of reconstruction method (Toyoshima et al.), 711

Block, bundle branch—Cont'd

- system, T wave in: significance of angle formed by terminal portion of QRS and mean T vector (Hoffman and Schack), 862
 - heart, complete, clinical study of (Wright et al.), 369
 - with perforated interventricular septum following contusion of chest (Paulin and Rubin), 940
- Blocking agent, ganglionic, (hexamethonium), effect of, on renal function and on excretion of water and electrolytes in hypertension and in congestive heart failure (Ullmann and Menczel), 106
- Blood and plasma, changes in composition of, after administration of hexamethonium (Ullmann and Menczel), 115
- flow, defects between ventricles or great vessels in which both increased pressure and, may act upon lungs and in which there is common ejectile force (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
- relationship between ballistocardiogram, cardiac movement, and (Honig and Tenney), 167
- pressure cuff, tight, importance of (Nuessle), 905
- high, 161 (B. Rev.)
- Body weight, relationship of, to acute myocardial infarction (Lee and Thomas), 581
- Book reviews, 161, 482, 640, 804
- Bundle branch block, study of electrocardiographic and spatial vectorcardiographic changes in, by means of reconstruction method (Toyoshima et al.), 711
- system block, T wave in: significance of angle formed by terminal portion of QRS and mean T vector (Hoffman and Schack), 862

C

- Calcification of pericardium caused by hitherto unrecognized etiological factor (Kleinfeld and Giel), 899
- pericardial, histoplasmin sensitivity associated with (McNerney), 609
- Carcinoidosis, hemodynamic changes during "flush" in (Thorson), 444
- Cardiac arrest, adenosine nucleotide levels in (Burdette) 193
- arrhythmias associated with protoveratrine (Margolin et al.), 257
- auscultation, effect of background noise on (Groom), 781
- diagnosis—physiologic approach, 161 (B. Rev.)
- metabolism in experimental ventricular fibrillation (Pedersen et al.), 695
- movement, ballistocardiogram, and blood flow, relationship between (Honig and Tenney), 167

Cardiac—Cont'd

- murmurs, some innocent and pathologic, of children, study by cathode-ray oscillography of (Harris and Needleman), 887
 - rhythm, changes in, and in form of electrocardiogram resulting from induced hypothermia in man (Guntton et al.), 419
 - surgery, heart damage in dogs subjected to hypothermia, circulatory arrest, and (Sarajas et al.), 836
 - vectors, spatial representation of, with aid of tabulated functions (von der Groeben), 562
- Cardiovascular effects, experimental, of endotoxin, possible new mechanisms of tissue damage in (Thomas), 807
- innervation, 804 (B. Rev.)
- surgery, 162 (B. Rev.)
- Catheterization, atrial puncture and (Bougas et al.), 360
- heart, left. I (Bougas et al.), 359
- II (Musser et al.), 567
- Cathode-ray oscillography, study by, of some innocent and pathologic cardiac murmurs of children (Harris and Needleman), 887
- Chest, complete heart block with perforated interventricular septum following contusion of (Paulin and Rubin), 940
- leads, diagnostic significance of tall upright T waves in (Freundlich), 749
- Cheyne-Stokes respiration, association of Adams-Stokes attacks and (Mears), 935
- Children, study by cathode-ray oscillography of some innocent and pathologic cardiac murmurs of (Harris and Needleman), 887
- Choloroquine; clinical and electrocardiographic observations after intravenous administration in two cases of auricular fibrillation (Sanghvi), 908
- Circulation, lesser, angiopulmographic study of, in mitral stenosis (Actis-Dato et al.), 1
- pulmonary, management of cor pulmonale in chronic pulmonary disease, with particular reference to associated disturbances in (Fishman and Richards), 149
- Circulatory adjustments, systemic, after administration of hexamethonium (Ullmann and Menczel), 112
- arrest, hypothermia, and cardiac surgery, heart damage in dogs subjected to (Sarajas et al.), 836
- Coarctation of abdominal aorta (Inmon and Pollock), 314
- of pulmonary artery (Coles and Walker), 469
- Complex, QRS, abnormal, of heart disease, cancellation of (Seiden and Keisman), 62
- Conduction, ventricular, aberrant, simulating paroxysmal ventricular tachycardia during quinidine therapy (Alimurung and Chiacco), 462

- Conductor, volume, effect of boundary contour on distribution of dipole potential in (Helm), 768
- Congestive heart failure, effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and electrolytes in hypertension and in (Ullmann and Menczel), 106
in aged, gitalin therapy of (Harris and Del Giacco), 300
- Contour, boundary, effect of, on distribution of dipole potential in volume conductor (Helm), 768
- Cor pulmonale, chronic, heart in (Fishman and Richards), 152
pulmonary arterial pressure in (Rodbard et al.), 185
clinical forms of, and their treatment (Fishman and Richards), 154
in association with intrinsic heart disease and left ventricular failure (Fishman and Richards), 158
management of, in chronic pulmonary disease, with particular reference to associated disturbances in pulmonary circulation (Fishman and Richards), 149
physiology of pulmonary hypertension and development of (Fishman and Richards), 150
- Coronary artery disease, significance of giant negative T waves in (Garcia-Palmieri et al.), 521
- Cough syncope, mechanism of (McIntosh et al.), 70
- Cuff, blood pressure, tight, importance of (Nuessle), 905
- Cyanotic heart disease, congenital, in one of monozygotic twins (Paes), 929
- Cytochrome C in heart muscle (Biörck), 633
chain, as studied in mammalian muscle (Biörck), 626
- D
- Digital rheoplethysmography, selected quantitative applications of (Burch), 388
volume of finger tip, soft tissue, and bone in ten subjects studied, comparison of (Table I) (Burch), 388
- Digoxin, observation on direct effect of, on renal excretion of sodium and water (Hyman et al.), 592
- Dipole potential, effect of boundary contour on distribution of, in volume conductor (Helm), 768
- Dipoles, multiple, lead vectors of, located on transverse plane of Frank's homogeneous torso model (Helm), 323
- Disease, pathologic physiology and mechanisms of, 641 (B. Rev.)
- Displacement, velocity, and acceleration ballistocardiograms as registered with undamped bed of ultralow natural frequency. I (Rappaport), 483
II (Rappaport), 643
III (Rappaport), 847
- Dogs subjected to hypothermia, circulatory arrest, and cardiac surgery, heart damage in (Sarajas et al.), 836
- E
- Ejectile force, common, defects between ventricles or great vessels in which both increased pressure and blood flow may act upon lungs and in which there is (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
- Electrical center of ventricular repolarization, location of (Langner and Moore), 335
- Electrocardiogram and vectorcardiogram in pectus excavatum (Wachtel et al.), 130
changes in cardiac rhythm and in form of, resulting from induced hypothermia in man (Gunton et al.), 419
in hypersensitivity reactions (Contro and Mond), 510
precordial, right, importance of positive T waves in, during first year of life (Ziegler), 533
- Electrocardiographic and hemodynamic correlation in atrial septal defect (Walker et al.), 547
and spatial vectorcardiographic changes, study of, in bundle branch block by means of reconstruction method (Toyoshima et al.), 711
- exercise test: changes in scalar ECG and in mean spatial QRS and T vectors in two types of exercise; effect of absolute and relative body weight and comment on normal standards (Simonson and Keys), 83
findings, analysis and discussion of, in complete heart block (Wright et al.), 372
in inferior myocardial infarction (Young et al.), 245
in patients undergoing surgical exploration of mitral valve (Pruitt and Robinson), 880
leads, new look at (Schaffer et al.), 704
normal standards, principalities for determination of (Simonson), 167
- Electrolyte, water and, excretion after administration of hexamethonium (Ullmann and Menczel), 115
- Electrolytes, effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and, in hypertension and in congestive heart failure (Ullmann and Menczel), 106
- Endocarditis, bacterial, subacute, 641 (B. Rev.)
gonorrheal, pulmonic valvular regurgitation during twenty-seven years after (Olesen and Fabricius), 791
- Endotoxin, possible new mechanisms of tissue damage in experimental cardiovascular effects of (Thomas), 807
- Esophageal ulcer eroding into left ventricle with fatal hemorrhage (Conklin), 922

- Excavatum, pectus, relation of, to heart disease (Wachtel et al.), 121
- Excitability of heart, 482 (B. Rev.)
- Excitation, atrial, normal and ectopic, studies of (Abildskov et al.), 496
- Excretion of water and electrolytes, effect of ganglionic blocking agent (hexamethonium) on renal function and on, in hypertension and in congestive heart failure (Ullmann and Menczel), 106
- Exercise test, electrocardiographic: changes in scalar ECG and in mean spatial QRS and T vectors and in two types of exercise; effect of absolute and relative body weight and comment on normal standards (Simonson and Keys), 83
- Extracardiac origin, precordial systolic murmur of, during pregnancy (Grant), 944
- F**
- Failure, heart, congestive, effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and electrolytes in hypertension and in (Ullmann and Menczel), 106
- in aged, gitalin therapy of (Harris and Del Giacco), 300
- Fibrillation and flutter, auricular, prolongation of P-R interval, and, after poliomyelitis (Sanghvi), 612
- atrial, atrial flutter during quinidine therapy of (Cheng), 273
- auricular, clinical and electrocardiographic observations after intravenous administration in two cases of: chloroquine (Sanghvi), 908
- ventricular, experimental, cardiac metabolism in (Pedersen et al.), 695
- precipitated by mineral imbalance and hypoxia (Sinykin et al.), 619
- Fibroelastosis in adults (Guraieb and Rigdon), 138
- Fistula, arteriovenous, of heart (Knoblich and Rawson), 474
- pulmonary, located by indicator dilution studies (Callahan et al.), 916
- "Flush," hemodynamic changes during, in carcinoidosis (Thorson), 444
- Flutter, atrial, during quinidine therapy of atrial fibrillation (Cheng), 273
- auricular fibrillation and, prolongation of P-R interval, and, after poliomyelitis (Sanghvi), 612
- Frank's homogeneous torso model, lead vectors of multiple dipoles located on transverse plane of (Helm), 323
- Frequency, natural, ultralow, displacement, velocity, and acceleration ballistocardiograms as registered with undamped bed of. I. (Rappaport), 483
- II (Rappaport), 643
- III (Rappaport), 847
- Functions, tabulated, spatial representation of cardiac vectors with aid of (von der Groeben), 562
- G**
- Ganglionic blocking agent (hexamethonium), effect of, on renal function and on excretion of water and electrolytes in hypertension and in congestive heart failure (Ullmann and Menczel), 106
- Gitalin therapy of congestive heart failure in aged (Harris and Del Giacco), 300
- Gonorrheal endocarditis, pulmonic valvular regurgitation during twenty-seven years after (Olesen and Fabricius), 791
- Gradient, atrial, spatial (Berkun et al.), 858
- H**
- Heart, arteriovenous fistula of (Knoblich and Rawson), 474
- block, complete, clinical study of (Wright et al.), 369
- with perforated interventricular septum following contusion of chest (Paulin and Rubin), 940
- catheterization, left. II (Musser et al.), 567
- damage in dogs subjected to hypothermia, circulatory arrest, and cardiac surgery (Sarajas et al.), 836
- disease, cancellation of abnormal QRS complex of (Seiden and Keisman), 62
- congenital, angiocardigraphic interpretation in, 804 (B. Rev.)
- ballistocardiogram in (Donoso et al.), 352
- significance of pulmonary vascular bed in. I and II (Dammann and Ferencz), 7
- III (Dammann and Ferencz), 210
- cyanotic, congenital, in one of monozygotic twins (Paes), 929
- intrinsic, and left ventricular failure, cor pulmonale in association with (Fishman and Richards), 158
- relation of pectus excavatum to (Wachtel et al.), 121
- excitability of, 482 (B. Rev.)
- failure, congestive, effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and electrolytes in hypertension and in (Ullmann and Menczel), 106
- in aged, gitalin therapy of (Harris and Del Giacco), 300
- in chronic cor pulmonale (Fishman and Richards), 152
- left, catheterization (Bougas et al.), 359
- malformations of heart in which there is pulmonary stenosis (Dammann and Ferencz), 12
- mammalian, and skeletal muscle, hematin compounds in (Biörck), 624
- Hematin compounds in mammalian heart and skeletal muscle (Biörck), 624
- Hemodynamic changes during "flush" in carcinoidosis (Thorson), 444
- electrocardiographic and, correlation in atrial septal defect (Walker et al.), 547

- Hemodynamic —Cont'd
 pattern, clinical and, in nonspecific myocarditis: comparison with other entities also impairing myocardial efficiency (Balchum et al.), 430
- Hemorrhage, fatal, esophageal ulcer eroding into left ventricle with (Conklin), 922
- Hexamethonium, intravenous insulin after pretreatment with (Judson and Hollander), 203
- Histoplasmin sensitivity associated with pericardial calcification (McNerney), 609
- Hypersensitivity reactions, electrocardiogram in (Contro and Mond), 510
- Hypertension, 640 (B. Rev.)
 effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of water and electrolytes in, and in congestive heart failure (Ullmann and Menczel), 106
 essential, life stress and, 640 (B. Rev.)
 pulmonary, physiology of, and development of cor pulmonale (Fishman and Richards), 150
 studies of. VII (Yu et al.), 683
 systemic, pulmonary arterial pressure in (Rodbard et al.), 185
- Hypertensive, metacorticoid, normotensive and, rats, studies on vascular reactivity in (Sturtevant), 410
- Hypertrophy and bundle branch block, difference between (Toyoshima et al.), 733
- Hypoglycemia, insulin-induced, effects of, in patients with angina pectoris (Judson and Hollander), 198
- Hypothermia, circulatory arrest, and cardiac surgery, heart damage in dogs subjected to (Sarajas et al.), 836
 induced, in man, changes in cardiac rhythm and in form of electrocardiogram resulting from (Gunton et al.), 419
- Hypoxia, acute, hemodynamic effects of, in patients with mitral stenosis (VII); studies of pulmonary hypertension (Yu et al.), 683
 ventricular fibrillation precipitated by mineral imbalance and (Sinykin et al.), 619
- I
- Index, right ventricular strain, in pulmonary stenosis with intact ventricular septum: its value in clinical work. III (Pietrafesa et al.), 828
 method for determination of potency and work of right ventricle in pulmonary stenosis with intact ventricular septum. I (Bidoggia et al.), 811
 tables for calculating potency and work of right ventricle and, in pulmonary stenosis with intact ventricular septum. II (Funes et al.), 819
- Indicator dilution studies, pulmonary arteriovenous fistula located by (Callahan et al.), 916
- Infarction, myocardial, acute, relationship of body weight to (Lee and Thomas), 581
 anterior, vectorcardiogram in. III (Karlen et al.), 45
 inferior, vectorcardiogram in. IV (Young et al.), 232
 treated by early ambulation (Brummer et al.), 269
- Innervation, cardiovascular, 804 (B. Rev.)
- Insulin, intravenous, effects of, with angina pectoris (Table I) (Judson and Hollander), 200
- Insulin-induced hypoglycemia, effects of, in patients with angina pectoris (Judson and Hollander), 198
- Interventricular septum perforated, complete heart block with, following contusion of chest (Paulin and Rubin), 940
- Intravenous administration, clinical and electrocardiographic observations after, in two cases of auricular fibrillation: chloroquine (Sanghvi), 908
- K
- Kreislaufforschung, Verhandlungen der Deutschen Gesellschaft für, 805 (B. Rev.)
- L
- Lead vectors of multiple dipoles located on transverse plane of Frank's homogeneous torso model (Helm), 323
- Leads, chest, diagnostic significance of tall upright T waves in (Freundlich), 749
 electrocardiographic, new look at (Schaffer et al.), 704
 precordial, right, ventricular patterns in, in mitral stenosis (Morris and Whitaker), 738
- Lesions, myocardial, TsE loop in (Karni), 867
- Loop, TsE, in myocardial lesions (Karni), 867
- Lungs, defects between ventricles or great vessels in which both increased pressure and blood flow may act upon, and in which there is common ejectile force (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
 normal; significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 9
- M
- Metabolism, cardiac, in experimental ventricular fibrillation (Pedersen et al.), 695
- Metacorticoid hypertensive, normotensive and, rats, studies on vascular reactivity in (Sturtevant), 410
- Mineral imbalance and hypoxia, ventricular fibrillation precipitated by (Sinykin et al.), 619
- Mitral and aortic valvular disease, with particular reference to (II); left heart catheterization (Musser et al.), 567
 patient before and after surgery (Haring et al.), 18

- Mitral—Cont'd**
 stenosis, angiopulmographic study of lesser circulation in (Actis-Dato et al.), 1
 genesis of "presystolic" murmur in (Nichols et al.), 379
 hemodynamic effects of acute hypoxia in patients with (VII); studies of pulmonary hypertension (Yu et al.), 683
 ventricular patterns in right precordial leads in (Morris and Whitaker), 738
 valve, electrocardiographic findings in patients undergoing surgical exploration of (Pruitt and Robinson), 880
- Monozygotic twins, congenital cyanotic heart disease in one of (Paes), 929**
- Murmur, "presystolic," genesis of, in mitral stenosis (Nichols et al.), 379**
 systolic, precordial, of extracardiac origin during pregnancy (Grant), 944
- Murmurs, cardiac, some innocent and pathologic, of children, study by cathode-ray oscillography (Harris and Needleman), 887**
- Muscle, skeletal, mammalian heart and, hematin compounds in (Björck), 624**
- Myocardial efficiency, comparison with other entities also impairing; clinical and hemodynamic pattern in nonspecific myocarditis (Balchum et al.), 430**
 infarction, acute, relationship of body weight to (Lee and Thomas), 581
 anterior, vectorcardiogram in. III (Karlen et al.), 45
 inferior vectorcardiogram in. IV (Young et al.), 232
 treated by early ambulation (Brummer et al.), 269
 lesions, TsE loop in (Karni), 867
- Myocarditis, chronic, physiologic studies in two patients with (Table I) (Balchum et al.), 434**
 nonspecific, clinical and hemodynamic pattern in: comparison with other entities also impairing myocardial efficiency (Balchum et al.), 430
- Myoglobin in muscle tissue (Björck), 629**
- N**
- Normotensive and metacorticoid hypertensive rats, studies on vascular reactivity in (Sturtevant), 410**
- O**
- Oscillography, cathode-ray, study by, of some innocent and pathologic cardiac murmurs of children (Harris and Needleman), 887**
- P**
- Paroxysmal atrial tachycardia, transient ventricular tachycardia following Valsalva maneuver in patient with (Hollander and Entwistle), 799**
 ventricular tachycardia, aberrant ventricular conduction simulating, during quinidine therapy (Alimurung and Chiacio), 462
- Pectus excavatum, physical examination (Wachtel et al.), 127**
 physiologic studies in (Wachtel et al.), 133
 radiographic examination in (Wachtel et al.), 127
 relation of, to heart disease (Wachtel et al.), 121
 symptomatology (Wachtel et al.), 126
- Pericardial calcification, histoplasmin sensitivity associated with (McNerney), 609**
- Pericardium, calcification of, caused by hitherto unrecognized etiological factor (Kleinfeld and Giel), 899**
- Plane, transverse, of Frank's homogeneous torso model, lead vectors of multiple dipoles located on (Helm), 323**
- Plasma, changes in composition of blood and, after administration of hexamethonium (Ullmann and Menczel), 115**
- Polomyelitis, prolongation of P-R interval, and auricular fibrillation and flutter after (Sanghvi), 612**
- Potential, dipole, effect of boundary contour on distribution of, in volume conductor (Helm), 768**
- P-R interval, prolongation of, and auricular fibrillation and flutter after poliomyelitis (Sanghvi), 612**
- Pregnancy, precordial systolic murmur of extracardiac origin during (Grant), 944**
- Precordial electrocardiogram, right, importance of positive T waves in, during first year of life (Ziegler), 533**
 leads, right, ventricular patterns in, in mitral stenosis (Morris and Whitaker), 738
 systolic murmur of extracardiac origin during pregnancy (Grant), 944
- Pressure, arterial, pulmonary, in man, diagnostic significance of respiratory fluctuations of (Rodbard et al.), 182**
 blood, cuff, tight, importance of (Nuessle), 905
 high, 161 (B. Rev.)
 increased, defects between ventricles of great vessels in which both, and blood flow may act upon lungs and in which there is common ejectile force (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
- "Presystolic" murmur, genesis of, in mitral stenosis (Nichols et al.), 379**
- Protoveratrine, cardiac arrhythmias associated with (Margolin et al.), 257**
- Pulmonary arterial pressure in man, diagnostic significance of respiratory fluctuations of (Rodbard et al.), 182**
 arteriovenous fistula located by indicator dilution studies (Callahan et al.), 916
 artery, coarctation of (Coles and Walker), 469
 transposition of aorta and levoposition of (Azevedo et al.), 249

Pulmonary—Cont'd

- disease, chronic, management of cor pulmonale in, with particular reference to associated disturbances in pulmonary circulation (Fishman and Richards), 149
- hypertension, studies of. VII (Yu et al.), 683
- stenosis, malformations of heart in which there is (Dammann and Ferencz), 12
 - with intact ventricular septum, method for determination of potency and work of right ventricle in: right ventricular strain index. I (Bidoggia et al.), 811
 - right ventricular strain index in: its value in clinical work. III (Pietrafesa et al.), 828
 - tables for calculating potency and work of right ventricle and right ventricular strain index in. II (Funes et al.), 819
- vascular bed, significance of, in congenital heart disease. I and II (Dammann and Ferencz), 7
 - III (Dammann and Ferencz), 210
- Pulmonic stenosis, pulmonary arterial pressure in (Rodbard et al.), 187
- valvular regurgitation during twenty-seven years after gonorrheal endocarditis (Olesen and Fabricius), 791
- Puncture, atrial, and catheterization (Bougas et al.), 360

Q

- QRS and T vectors, mean spatial, changes in scalar ECG and in, in two types of exercise; effect of absolute and body weight and comment on normal standards: electrocardiographic exercise test (Simonson and Keys), 83
- complex, abnormal, of heart disease, cancellation of (Seiden and Keisman), 62
- loop in inferior myocardial infarction (Young et al.), 236
- significance of angle formed by terminal portion of, and mean T vector; T wave in bundle branch system block (Hoffman and Schack), 862
- Quinidine therapy, aberrant ventricular conduction simulating paroxysmal ventricular tachycardia during (Alimurung and Chiaco), 462
 - of atrial fibrillation, atrial flutter during (Cheng), 273

R

- Radiographic examination in pectus excavatum (Wachtel et al.), 127
- Reconstruction method, study of electrocardiographic and spatial vectorcardiographic changes in bundle branch block by means of (Toyoshima et al.), 711
- Renal excretion of sodium and water, observation on direct effect of Digoxin on (Hyman et al.), 592

Renal—Cont'd

- function, effect of ganglionic blocking agent (hexamethonium) on, and on excretion of water and electrolytes in hypertension and in congestive heart failure (Ullmann and Menczel), 106
- hemodynamics after administration of hexamethonium (Ullmann and Menczel), 112
- Repolarization, ventricular, location of electrical center of (Langner and Moore), 335
- Respiratory disease, chronic, pulmonary arterial pressure in (Rodbard et al.), 185
- fluctuations of pulmonary arterial pressure in man, diagnostic significance of (Rodbard et al.), 182
- Rheoplethysmogram, certain quantitative analyses of, in normal and abnormal states (Table II) (Burch), 390
- Rheoplethysmography, digital, selected quantitative applications of (Burch), 388
- Rheumatic heart disease, pulmonary arterial pressure in (Rodbard et al.), 185
- Rhythm, cardiac, changes in, and in form of electrocardiogram resulting from induced hypothermia in man (Gunton et al.), 419

S

- Scalar ECG, changes in, and in mean spatial QRS and T vectors in two types of exercise; effect of absolute and relative body weight and comment on normal standards: electrocardiographic exercise test (Simonson and Keys), 83
- Sepsis lenta localized in arteriovenous aneurysm (Arsenijević et al.), 307
- Septal defect, atrial, electrocardiographic and hemodynamic correlation in (Walker et al.), 547
- Septum, interventricular, perforated, complete heart block with, following contusion of chest (Paulin and Rubin), 940
 - ventricular, intact, method for determination of potency and work of right ventricle in pulmonary stenosis with: right ventricular strain index. I (Bidoggia et al.), 811
 - right ventricular strain index in pulmonary stenosis with: its value in clinical work. III (Pietrafesa et al.), 828
 - tables for calculating potency and work of right ventricle and right ventricular strain in pulmonary stenosis with. II (Funes et al.), 819
- Sinus node tissue, auricular escape during vagus stimulation after crushing (Scherf et al.), 674
- Skeletal muscle, mammalian heart and, hematin compounds in (Biörck), 624
- Sodium and water, observation on direct effect of Digoxin on renal excretion of (Hyman et al.), 592

- Spatial atrial gradient (Berkun et al.), 858
 QRS and T, mean, vectors, changes in scalar ECG and in, in two types of exercise; effect of absolute and relative body weight and comment on normal standards: electrocardiographic exercise test (Simonson and Keys), 83
 representation of cardiac vectors with aid of tabulated functions (von der Groeben), 562
 vectorcardiographic, electrocardiographic and, changes, study of, in bundle branch block by means of reconstruction method (Toyoshima et al.), 711
- S-T junction, T loop and, in inferior myocardial infarction (Young et al.), 244
- Stenosis, mitral, angiopulmographic study of lesser circulation in (Actis-Dato et al.), 1
 genesis of "presystolic" murmur in (Nichols et al.), 379
 hemodynamic effects of acute hypoxia in patients with (VIII); studies of pulmonary hypertension (Yu et al.), 683
 ventricular patterns in right precordial leads in (Morris and Whitaker), 738
 pulmonary, malformations of heart in which there is (Dammann and Ferencz), 12
 with intact ventricular septum, method for determination of potency and work of right ventricle in: right ventricular strain index. I (Bidoggia et al.), 811
 right ventricular strain index in: its value in clinical work. III (Pietrafesa et al.), 828
 tables for calculating potency and work of right ventricle and right ventricular strain index in. II (Funes et al.), 819
- Strain, right ventricular, index in pulmonary stenosis with intact ventricular septum: its value in clinical work. III (Pietrafesa et al.), 828
 method for determination of potency and work of right ventricle in pulmonary stenosis with intact ventricular septum. I (Bidoggia et al.), 811
 tables for calculating potency and work of right ventricle and, in pulmonary stenosis with intact ventricular septum. II (Funes et al.), 819
- Strokes, management of, 805 (B. Rev.)
- Surgery, cardiac, heart damage in dogs subjected to hypothermia, circulatory arrest, and (Sarajas et al.), 836
 cardiovascular, 162 (B. Rev.)
 hemodynamic and electrocardiographic changes following (Walker et al.), 553
 mitral patient before and after (Haring et al.), 18
- Surgical exploration of mitral valve, electrocardiographic findings in patients undergoing (Pruitt and Robinson), 880
- Syncope, cough, mechanism of (McIntosh et al.), 70
- Systolic murmur, precordial, of extracardiac origin during pregnancy (Grant), 944
- T
- T loop and S-T junction in inferior myocardial infarction (Young et al.), 244
 mean spatial QRS and, vectors, changes in scalar ECG and in, in two types of exercise; effect of absolute and relative body weight and comment on normal standards: electrocardiographic exercise test (Simonson and Keys), 83
 vector, mean, significance of angle formed by terminal portion of QRS and; T wave in bundle branch system block (Hoffman and Schack), 862
 wave in bundle branch system block: significance of angle formed by terminal portion of QRS and mean T vector (Hoffman and Schack), 862
 waves, negative, giant, significance of, in coronary artery disease (Garcia-Palmieri et al.), 521
 positive, importance of, in right precordial electrocardiogram during first year of life (Ziegler), 533
 upright tall, diagnostic significance of, in chest leads (Freundlich), 749
- Tachycardia, ventricular, paroxysmal, aberrant ventricular conduction simulating, during quinidine therapy (Alimurung and Chiacio), 462
 transient, following Valsalva maneuver in patient with paroxysmal atrial tachycardia (Hollander and Entwisle), 799
- Testing procedure and normal standards, suggestions for: electrocardiographic exercise test (Simonson and Keys), 101
- Tissue damage, possible new mechanisms of, in experimental cardiovascular effects of endotoxin (Thomas), 807
- Torso model, Frank's homogeneous, lead vectors of multiple dipoles located on transverse plane of (Helm), 323
- TsE loop in myocardial lesions (Karni), 867
 in normal cases (Karni), 868
 pathologic (Karni), 868
- U
- Ulcer, esophageal, eroding into left ventricle with fatal hemorrhage (Conklin), 922
- Ultralow natural frequency, displacement, velocity, and acceleration ballistocardiograms as registered with undamped bed of. I (Rappaport), 483
 II (Rappaport), 643
 III (Rappaport), 847
- Undamped bed of ultralow natural frequency, displacement, velocity, and acceleration ballistocardiograms as registered with. I (Rappaport), 483

V

- Vagus stimulation, auricular escape during after crushing sinus node tissue (Scherf et al.), 674
- Valsalva maneuver, transient ventricular tachycardia following, in patient with paroxysmal atrial tachycardia (Hollander and Entwisle), 799
- Valve, mitral, electrocardiographic findings in patients undergoing surgical exploration of (Pruitt and Robinson), 880
- Valvular disease, mitral and aortic, with particular reference to (II); left heart catheterization (Musser et al.), 567
pulmonic, regurgitation during twenty-seven years after gonorrheal endocarditis (Olesen and Fabricius), 791
- Vascular bed, pulmonary, significance of, in congenital heart disease. I and II (Dammann and Ferencz), 7
III (Dammann and Ferencz), 210
disorders, diagnosis and treatment of, (angiology), 482 (B. Rev.)
reactivity in normotensive and metacorticoid hypertensive rats, studies on (Sturtevant), 410
- Vector, T, mean, significance of angle formed by terminal portion of QRS and; T wave in bundle branch system block (Hoffman and Schack), 862
- Vectorcardiogram, electrocardiogram and, in pectus excavatum (Wachtel et al.), 130
in anterior myocardial infarction. III (Karlen et al.), 45
in inferior myocardial infarction. IV (Young et al.), 232
- Vectorcardiographic, spatial, electrocardiographic and, changes, study of, in bundle branch block by means of reconstruction method (Toyoshima et al.), 711
- Vectors, cardiac, spatial representation of, with aid of tabulated functions (von der Groeben), 562
lead, of multiple dipoles located on transverse plane of Frank's homogeneous torso model (Helm), 323
- Velocity, displacement, and acceleration ballistocardiograms as registered with undamped bed of ultralow natural frequency. I (Rappaport), 483
II (Rappaport), 643
III (Rappaport), 847
- Ventricle, left, esophageal ulcer eroding into, with fatal hemorrhage (Conklin), 922
right, and right ventricular strain index, tables for calculating potency and work of, in pulmonary stenosis with intact ventricular septum. II (Funes et al.), 819
- Ventricle, left—Cont'd
method for determination of potency and work of, in pulmonary stenosis with intact ventricular septum: right ventricular strain index. I (Bidoggia et al.), 811
- Ventricles or great vessels, defects between, in which both increased pressure and blood flow may act upon lungs and in which there is common ejectile force (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
- Ventricular conduction, aberrant, simulating paroxysmal ventricular tachycardia during quinidine therapy (Alimurung and Chiaco), 462
failure, left, cor pulmonale in association with intrinsic heart disease and (Fishman and Richards), 158
fibrillation, experimental, cardiac metabolism in (Pedersen et al.), 695
precipitated by mineral imbalance and hypoxia (Sinykin et al.), 619
patterns in right precordial leads in mitral stenosis (Morris and Whitaker), 738
repolarization, location of electrical center of (Langner and Moore), 335
septal defect with pulmonary arterial hypertension (Rodbard et al.), 188
strain index, right, in pulmonary stenosis with intact ventricular septum: its value in clinical work. III (Pietrafesa et al.), 828
method for determination of potency and work of right ventricle in pulmonary stenosis with intact ventricular septum. I (Bidoggia et al.), 811
tables for calculating potency and work of right ventricle and, in pulmonary stenosis with intact ventricular septum. II (Funes et al.), 819
tachycardia, transient, following Valsalva maneuver in patient with paroxysmal atrial tachycardia (Hollander and Entwisle), 799
- Vessels, great, defects between ventricles or, in which both increased pressure and blood flow may act upon lungs and in which there is common ejectile force (III); significance of pulmonary vascular bed in congenital heart disease (Dammann and Ferencz), 210
- Volume conductor, effect of boundary contour on distribution of dipole potential in (Helm), 768

W

- Water and electrolyte excretion after administration of hexamethonium (Ullmann and Menczel), 115
and electrolytes, effect of ganglionic blocking agent (hexamethonium) on renal function and on excretion of, in hypertension and in congestive heart failure (Ullmann and Menczel), 106

Water—Cont'd

sodium and, observation on direct effect of Digoxin on renal excretion of (Hyman et al.), 592

Waves, T, negative, giant, significance of, in coronary artery disease (Garcia-Palmieri et al.), 521

positive, importance of, in right precordial electrocardiogram during first year of life (Ziegler), 533

Weight, body, absolute and relative, effect of, and comment on normal standards; changes in scalar ECG and in mean spatial QRS and T vectors in two types of exercise: electrocardiographic exercise test (Simonson and Keys), 83

relationship of, to acute myocardial infarction (Lee and Thomas), 581

